

1. IDENTIFICATION

Product Name	Sodium Hypochlorite Solution 10-30%
Other Names	Clorox
Uses	Water treatment; Sanitising agent; Bleaching agent; Disinfectant; Oxidising agent.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Sodium hypochlorite, aqueous solution
Product Description	Available chlorine = 10 - 15%.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya Selangor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

6

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard Categories Skin Corrosion/Irritation - Category 1B
 Serious Eye Damage/Irritation - Category 1
 Specific Target Organ Toxicity (Single Exposure) - Category 3
 Acute Hazard To The Aquatic Environment - Category 1
 Long-term Hazard To The Aquatic Environment - Category 1

Pictograms



Signal Word

Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.
AUH031 Contact with acids liberates toxic gas

Precautionary Statements

Prevention	P260	Do not breathe mist/vapour/spray.	
	P273	Avoid release to the environment.	
	P271	Use only outdoors or in a well-ventilated area.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection and suitable respirator.	
	Response	P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
		P310	Immediately call a POISON CENTER or doctor.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
		P363	Wash contaminated clothing before reuse.
		P391	Collect spillage.
Storage	P304 + P340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.	
	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
Disposal	P405	Store locked up.	
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.	

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION 10-30% REVISION 5, DATE 17 APR 2023

Hazard Classification

Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Sodium hypochlorite	ClHO.Na	7681-52-9	10 - <30 %
Sodium hydroxide	HNaO	1310-73-2	<1 %
Water	H2O	7732-18-5	Balance %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink (slowly) 1 - 2 glasses of water. Do NOT induce vomiting. For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Never give anything by mouth to an unconscious person. Transport to hospital or doctor without delay.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay.
Skin	IF ON SKIN (or hair): Remove contaminated clothing and shoes immediately. Flush skin and hair with running water for 20 - 30 minutes. Immediately call a Poison Centre or doctor/physician for advice. In case of gross contamination, drench contaminated clothing and skin with plenty of water before removing clothes. For minor skin contact, avoid spreading material on unaffected skin. Transport to hospital or doctor without delay.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor/physician for advice. Apply resuscitation if victim is not breathing - Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device; Administer oxygen if breathing is difficult. Transport to hospital or doctor without delay.
Advice to Doctor	Alkalis continue to cause damage after exposure. Reaction may be delayed up to 24 hours after exposure; affected individuals need complete rest and must be kept under medical observation even if no symptoms are (yet) manifested. Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved, and take precautions to protect themselves. *Most important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage. May cause respiratory irritation.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	Alert Fire Brigade and tell them location and nature of hazard. If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. Avoid getting water inside containers.
Flammability Conditions	Non-combustible; Material itself does not burn.
Extinguishing Media	If material is involved in a fire, use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction - Do not use water jets.
Fire and Explosion Hazard	Decomposes on heating, emitting toxic fumes. Containers may explode when heated.
Hazardous Products of Combustion	Fire or heat will produce irritating, toxic and/or corrosive gases, including Chlorine, Hydrogen chloride.

SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION 10-30% REVISION 5, DATE 17 APR 2023

Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may be toxic and/or corrosive and pollute waterways.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing - It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	2X

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation - Ventilate enclosed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Slippery when spilt. Avoid accidents, clean up immediately! Do not breathe mist/vapours and prevent contact with eyes, skin and clothing.
Clean Up Procedures	Absorb with earth, sand or other non-combustible material and transfer to a suitable, properly labelled container for disposal (see SECTION 13).
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Cover with dry earth, sand or other non-combustible material followed by plastic sheet to minimise spreading.
Decontamination	Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.
Environmental Precautionary Measures	Small spillages and decontamination run-off may be washed to drains with large quantities of water. Due care must however still be exercised to avoid unnecessary pollution of watercourses.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground. *Large spill: Alert Fire Brigade and tell them location and nature of hazard; Consider downwind evacuation.
Personal Precautionary Measures	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Do not breathe mist/vapours/spray and prevent contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/protective clothing/eye protection/face protection and suitable respirator (see SECTION 8). Avoid overheating (decomposition). Keep away from heat and sources of ignition - No smoking. Absorb spillage to prevent material damage (see SECTION 6). *Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep containers securely sealed. Check regularly for spills and leaks. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10). Store locked up.
Container	Keep only in the original container or corrosive resistant container/container with a resistant inner liner.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No value assigned for this specific material by Safe Work Australia. HAZARDOUS COMPONENT: Sodium hydroxide (CAS No. 1310-73-2): - Safe Work Australia Exposure Standard: TWA = 2 mg/m ³ Peak limitation. - New Zealand Workplace Exposure Standard: Ceiling = 2 mg/m ³ DECOMPOSITION PRODUCT: Chlorine (CAS No. 7782-50-5):
----------------	---

SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION 10-30% REVISION 5, DATE 17 APR 2023

- Safe Work Australia Exposure Standard: TWA = 1 ppm (3 mg/m³) Peak limitation.
- New Zealand Workplace Exposure Standard [Adopted 2023]: TWA = 0.5 ppm (1.5 mg/m³); STEL = 1 ppm (2.9 mg/m³).

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none">- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Wear Type B-P Filter of sufficient capacity or an air supplied respirator (refer to AS/NZS 1715 & 1716).- Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Chemical goggles, face shield.- Hand protection: Wear protective gloves. Recommended: Elbow-length impervious gloves, e.g. PVC.- Skin/body protection: Wear appropriate personal protective clothing to prevent skin contact. Recommended: Overalls, PVC splash apron, or equivalent chemical impervious outer garment, and rubber boots.
Special Hazards Precautions	Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Do not allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Do NOT allow clothing wet with material to stay in contact with skin. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Clear liquid
Odour	Chlorine
Colour	Pale yellow - green
pH	>11.5 (as supplied)
Vapour Pressure	2.3 kPa (@ No Data Available)
Relative Vapour Density	No Data Available
Boiling Point	>100 °C
Melting Point	No Data Available
Freezing Point	-25 °C
Solubility	Miscible in water
Specific Gravity	1.17 - 1.22 (Water = 1)
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available

Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	80 - 95 % (vol.)
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-combustible; Material itself does not burn.
Reactions That Release Gases or Vapours	Fire or heat will produce irritating, toxic and/or corrosive gases, including Chlorine, Hydrogen chloride.
Release of Invisible Flammable Vapours and Gases	Contact with metals may evolve flammable hydrogen gas.

10. STABILITY AND REACTIVITY

General Information	Contact with acids liberates toxic gas. Reacts exothermically with acids. Reacts with ammonia, amines or ammonium salts to produce chloramines. Decomposes on heating to produce chlorine gas.
Chemical Stability	Stable under normal ambient and anticipated storage and handling conditions; Unstable in the presence of incompatible materials. *The amount of available chlorine diminishes over time.
Conditions to Avoid	Keep away from heat and sources of ignition. Avoid exposure to light. Avoid contact with other chemicals.
Materials to Avoid	Incompatible/reactive with acids, metals, metal salts, peroxides, reducing agents, ethylene diamine tetraacetic acid, methanol, aziridine, urea, ammonia and ammonium compounds, such as amines and ammonium salts.
Hazardous Decomposition Products	Fire or heat will produce irritating, toxic and/or corrosive gases, including Chlorine, Hydrogen chloride.
Hazardous Polymerisation	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on toxicological effects:</p> <ul style="list-style-type: none"> - Acute toxicity: Data either not available or does not fill the criteria for classification. - Skin corrosion/irritation: Causes severe skin burns and eye damage. - Eye damage/irritation: Causes serious eye damage. - Respiratory/skin sensitisation: Data either not available or does not fill the criteria for classification. - Germ cell mutagenicity: Data either not available or does not fill the criteria for classification. - Carcinogenicity: Hypochlorite salts are classified by the IARC Monographs as "Not classifiable as to its carcinogenicity to humans" (Group 3). - Reproductive toxicity: Data either not available or does not fill the criteria for classification. - STOT (single exposure): May cause respiratory irritation. - STOT (repeated exposure): Data either not available or does not fill the criteria for classification. - Aspiration toxicity: Data either not available or does not fill the criteria for classification. <p>Information on likely routes of exposure:</p> <ul style="list-style-type: none"> - Ingestion: Corrosive following ingestion. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and
----------------------------	--

chemical burns to the gastrointestinal tract.

- Eye contact: Corrosive; Contact can cause corneal burns and result in permanent injury. Vapours or mists may be extremely irritating.

- Skin contact: Corrosive; Skin contact will result in rapid drying, bleaching; leading to chemical burns on prolonged contact.

- Inhalation: Breathing in mists or aerosols will produce respiratory irritation. Chlorine vapour is extremely irritating to the upper respiratory tract and lungs. Symptoms of exposure to chlorine include coughing, choking, breathing difficulty, chest pain, headache, vomiting, pulmonary oedema. Inhalation may cause lung congestion, bronchitis and loss of consciousness. Delayed (up to 48 hours) fluid build up in the lungs may occur.

Chronic effects: Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: COMPONENT: Sodium hypochlorite: - LC50, Fish: 0.032 mg/L (96 h).
Persistence/Degradability	This material is biodegradable.
Mobility	No information available.
Environmental Fate	Very toxic to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	Does not bioaccumulate.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Recycle wherever possible, or dispose of through a licensed waste contractor and in accordance with local/regional/national regulations.
Special Precautions for Land Fill	Containers may still present a chemical hazard/danger when empty. Decontamination and destruction of containers should be considered.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
EPG	154 Substances - Toxic and/or Corrosive (Non-Combustible)
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
EPG	154 Substances - Toxic and/or Corrosive (Non-Combustible)
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
EPG	154 Substances - Toxic and/or Corrosive (Non-Combustible)
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
ERG	154 Substances - Toxic and/or Corrosive (Non-Combustible)
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available
EMS	F-A, S-B
Marine Pollutant	Yes

Air Transport

IATA DGR

SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION 10-30% REVISION 5, DATE 17 APR 2023

Proper Shipping Name	HYPOCHLORITE SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
UN Number	1791
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	CHLORINATING COMPOUNDS
Poisons Schedule (Aust)	6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR002491 - Additives, Process Chemicals and Raw Materials (Corrosive) Group Standard 2020
----------------------	--

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Determined
China (IECSC)	Listed
Europe (EINECS)	231-668-3
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Listed
Korea (KECI)	Listed
Malaysia (List of Classified Substances)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Listed
Taiwan (TCSI)	Listed
USA (TSCA)	Listed

Mexico (INSQ)

Not Determined

16. OTHER INFORMATION

Related Product Codes

SOHYCB1000, SOHYCB1001, SOHYCB2000, SOHYCC1000, SOHYCC2000, SOHYCC3000, SOHYCC3001, SOHYCC3300, SOHYCC7000, SOHYCC7100, SOHYCC9000, SOHYCC9500, SOHYCL0837, SOHYCL1000, SOHYCL1001, SOHYCL1002, SOHYCL1003, SOHYCL1004, SOHYCL1005, SOHYCL1006, SOHYCL1007, SOHYCL1008, SOHYCL1009, SOHYCL1010, SOHYCL1011, SOHYCL1012, SOHYCL1013, SOHYCL1014, SOHYCL1100, SOHYCL1200, SOHYCL1210, SOHYCL1211, SOHYCL1300, SOHYCL1400, SOHYCL1500, SOHYCL1600, SOHYCL1700, SOHYCL1800, SOHYCL1801, SOHYCL1802, SOHYCL1803, SOHYCL1804, SOHYCL1805, SOHYCL1806, SOHYCL1807, SOHYCL1808, SOHYCL1809, SOHYCL1810, SOHYCL1811, SOHYCL1812, SOHYCL1813, SOHYCL1814, SOHYCL1815, SOHYCL1816, SOHYCL1817, SOHYCL1818, SOHYCL1819, SOHYCL1820, SOHYCL1821, SOHYCL1822, SOHYCL1823, SOHYCL1824, SOHYCL1825, SOHYCL1826, SOHYCL1827, SOHYCL1828, SOHYCL1829, SOHYCL1830, SOHYCL1831, SOHYCL1832, SOHYCL1833, SOHYCL1834, SOHYCL1835, SOHYCL1836, SOHYCL1837, SOHYCL1838, SOHYCL1839, SOHYCL1840, SOHYCL1841, SOHYCL1842, SOHYCL1843, SOHYCL1844, SOHYCL1845, SOHYCL1846, SOHYCL1847, SOHYCL1848, SOHYCL1849, SOHYCL1850, SOHYCL1851, SOHYCL1852, SOHYCL1853, SOHYCL1854, SOHYCL1855, SOHYCL1856, SOHYCL1857, SOHYCL1858, SOHYCL1859, SOHYCL1860, SOHYCL1861, SOHYCL1862, SOHYCL1863, SOHYCL1864, SOHYCL1865, SOHYCL1866, SOHYCL1867, SOHYCL1868, SOHYCL1869, SOHYCL1870, SOHYCL1871, SOHYCL1872, SOHYCL1873, SOHYCL1874, SOHYCL1875, SOHYCL1876, SOHYCL1877, SOHYCL1878, SOHYCL1879, SOHYCL1880, SOHYCL1881, SOHYCL1882, SOHYCL1883, SOHYCL1884, SOHYCL1885, SOHYCL1886, SOHYCL1887, SOHYCL1888, SOHYCL1889, SOHYCL1890, SOHYCL1891, SOHYCL1892, SOHYCL1893, SOHYCL1894, SOHYCL1895, SOHYCL1896, SOHYCL1897, SOHYCL1898, SOHYCL1899, SOHYCL1900, SOHYCL1901, SOHYCL1902, SOHYCL1903, SOHYCL1912, SOHYCL1932, SOHYCL1938, SOHYCL1939, SOHYCL2000, SOHYCL2012, SOHYCL2015, SOHYCL2100, SOHYCL2150, SOHYCL2200, SOHYCL2300, SOHYCL2400, SOHYCL2500, SOHYCL2600, SOHYCL2700, SOHYCL2813, SOHYCL2913, SOHYCL3000, SOHYCL3200, SOHYCL3500, SOHYCL3600, SOHYCL3601, SOHYCL3700, SOHYCL3800, SOHYCL3801, SOHYCL4000, SOHYCL4100, SOHYCL4201, SOHYCL4301, SOHYCL4400, SOHYCL5000, SOHYCL5100, SOHYCL6000, SOHYCL7000, SOHYCL7100, SOHYCL7200, SOHYCL7500, SOHYCL8000, SOHYCL8100, SOHYCL8888, SOHYCL9000, SOHYCL9100, SOHYCL9500

Revision

5

Revision Date

17 Apr 2023

Reason for Issue

SDS Updated

Key/Legend

< Less Than

> Greater Than

AICS Australian Inventory of Chemical Substances**atm** Atmosphere**CAS** Chemical Abstracts Service (Registry Number)**cm²** Square Centimetres**CO₂** Carbon Dioxide**COD** Chemical Oxygen Demand**deg C (°C)** Degrees Celcius**EPA (New Zealand)** Environmental Protection Authority of New Zealand**deg F (°F)** Degrees Farenheit**g** Grams**g/cm³** Grams per Cubic Centimetre**g/l** Grams per Litre**HSNO** Hazardous Substance and New Organism**IDLH** Immediately Dangerous to Life and Health**immiscible** Liquids are insoluable in each other.**inHg** Inch of Mercury**inH₂O** Inch of Water**K** Kelvin**kg** Kilogram**kg/m³** Kilograms per Cubic Metre**lb** Pound**LC₅₀** LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.**LD₅₀** LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.**ltr or L** Litre**m³** Cubic Metre

SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION 10-30% REVISION 5, DATE 17 APR 2023

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight